



YOUR SEEDING & TILLAGE SPECIALISTS



PRICE BOOK

ECO Standard



MODEL	DISCS	DISC SIZE	SPACING	AXLES	WORKING WIDTH	TYRE SIZE	WEIGHT (KG)	REQ HP
ECO – 20	20	26" x 6mm	230mm	1 1/2"	2.5m	11.5/80x15.3	1,910	75 - 85
ECO – 24	24	26" x 6mm	230mm	1 1/2"	2.8m	11.5/80x15.3	2,110	85 - 95
ECO – 28	28	26" x 6mm	230mm	1 1/2"	3.2m	11.5/80x15.3	2,270	100 - 110
ECO – 32	32	26" x 6mm	230mm	1 1/2"	3.5m	11.5/80x15.3	2,860	120 - 130
ECO – 36	36	26" x 6mm	230mm	1 1/2"	4.2m	11.5/80x15.3	3,230	130 - 140

OPTIONS

Upgrade to Oil Bath Bearings (with Duo-cone seals) and 1 5/8" round shaft

Add Jack stand to hitch



The information shown throughout this price book, including prices and product specifications may be subject to change without prior notice.

ECO – Xtra 24 – 32 Plate Offset with Hydraulic Gang Adjustment



When versatility and ease of use is key for your operation the ECO – X offset disc hits the target. With its easy to adjust hydraulic gang adjustment & strong frame, you can set this machine up on the run to work perfectly in any conditions.

- ◆ 1 ½” square axles with greaseable bearings (oil bath optional)
- ◆ 200mm x 100mm x 8mm frame –Stronger and heavier than competitor machines in this price range
- ◆ Hydraulic adjustable gang angles to increase/decrease aggressiveness
- ◆ **NEW** Fully welded hangers with reinforced bearing mounts
- ◆ Simple spring & chain assembly on hitch for easy hook-up
- ◆ Fully assembled by our trained technicians
- ◆ 12 months Parts and Labor warranty included



MODEL	DISCS	DISC SIZE	SPACING	AXLES	WORKING WIDTH	TYRE SIZE	WEIGHT (KG)	REQ HP
ECO – X 24	24	26” x 6mm	230mm	1 1/2”	2.8m	11.5/80x15.3	2,280	100 - 110
ECO – X 28	28	26” x 6mm	230mm	1 1/2”	3.2m	11.5/80x15.3	2,460	110 - 120
ECO – X 32	32	26” x 6mm	230mm	1 1/2”	3.5m	11.5/80x15.3	3,030	120 - 130

OPTIONS

Upgrade to Oil Bath Bearings (with Duo-cone seals) and 1 5/8” round shaft



SIMPLE CHAIN AND SPRING ASSEMBLY ON HITCH ALLOWING FOR EASY HOOKUP



SIMPLE HYDRAULIC ADJUSTMENT OF GANG ANGLE



11.5/80x15.3 TYRES FITTED



GREASE FILLED BEARING WITH NIPPLE EXTENSION FOR EASY MAINTENANCE

ECO Tandem 24 - 36 Plate Tandem Disc Plough



The ECO Tandem is a great option for those looking for an easy-to-use disc plough that leaves a nice, level finish and is able to be used up & back. Featuring a new cross-over design of the front gang eliminating the need for a Centre Tyne.

- ◆ 1 ½" square axles with greaseable bearings (oil bath optional)
- ◆ 150mm x 100mm x 8mm frame –Stronger and heavier than competitor machines in this price range
- ◆ **NEW** Fully welded hangers with reinforced bearing mounts
- ◆ Simple spring & chain assembly on hitch for easy hook-up
- ◆ Fully assembled by our trained technicians
- ◆ 12 months Parts and Labor warranty included



MODEL	DISCS	DISC SIZE	SPACING	AXLES	WORKING WIDTH	TYRE SIZE	WEIGHT(KG)	REQ HP
ECO TANDEM 24	24	26" x 6mm	230mm	1 1/2"	2.8m	11.5/80x15.3	2,200	100 - 115
ECO TANDEM 28	28	26" x 6mm	230mm	1 1/2"	3.2m	11.5/80x15.3	2,360	115 - 130
ECO TANDEM 32	32	26" x 6mm	230mm	1 1/2"	3.5m	11.5/80x15.3	2,950	130 - 150
ECO TANDEM 36	36	26" x 6mm	230mm	1 1/2"	4.2m	11.5/80x15.3	3,280	145 - 165

OPTIONS

Upgrade to Oil Bath Bearings (with Duo-cone seals) and 1 5/8" round shaft

Add Jack stand to hitch



SIMPLE CHAIN AND SPRING ASSEMBLY ON HITCH ALLOWING FOR EASY HOOKUP



A FURROW FILLING DISC IS FITTED ON OUTSIDE OF REAR GANGS TO ENSURE A NICE, LEVEL FINISH



GREASE FILLED BEARING WITH NIPPLE EXTENSION FOR EASY MAINTENANCE

ECO Folding Tandem 64 Plate Disc Plough



The all new ECO Folding Tandem 64 plate disc plough offers a narrow transport width of just 3m yet has a 7m wide working width. It also has a heavy frame that allows this to penetrate where other similar sized discs would dare to tread.



- ◆ 1 ½” square axles with greaseable bearings (oil bath optional)
- ◆ Strong, fully gusseted 8mm frame – heavier than all competitor machines in this price range
- ◆ Fully welded hangers with double reinforced bearing mounts
- ◆ Rotating tongue on heavy drawbar for easy hook-up
- ◆ Extra 2x 24” scalloped furrow filler discs on back two gangs
- ◆ Heavy Duty jack stand included
- ◆ Hydraulic fold, lift and swing of gangs PLUS cylinder on drawbar
- ◆ Oversize sign & Oversize flags supplied & fitted as standard
- ◆ 12 months Parts and Labor warranty included

MODEL	DISCS	DISC SIZE	SPACING	AXLES	WORKING WIDTH	TYRE SIZE	WEIGHT(KG)	REQ HP
ECO TANDEM 64	64 + 2	26” x 6mm	230mm	1 1/2”	7.0m	11.5/80x15.3	7,000	250-270
OPTIONS								
Upgrade to Oil Bath Bearings (with Duo-cone seals) and 1 5/8” round shaft								



ROTATING TONGUE ON HITCH ALLOWING FOR EASY HOOKUP



NARROW FOLDED TRANSPORT WIDTH OF ONLY 3 METRES!



GREASE FILLED BEARING WITH NIPPLE EXTENSION FOR EASY MAINTENANCE

ECO Grande

24 - 32 Plate Heavy Offset Disc



New to the Serafin ECO range is the ECO Grande. Solid & heavy 10mm frame, wider 270mm (10 1/2") disc spacing and 28"x7.5mm scalloped discs, this machine will DIG!

- ◆ 1 5/8" round axles with oil bath bearings & duo cone seals
- ◆ **HUGE** 200mm x 150mm x 10mm thick frame PLUS 10mm underplate on the gang frame for added strength and weight
- ◆ Large 400/60x15.5 flotation tyres
- ◆ Fully welded hangers with reinforced bearing mounts
- ◆ Simple spring & chain assembly on hitch for easy hook-up
- ◆ Fully assembled by our trained technicians
- ◆ 12 months Parts and Labor warranty included
- ◆ Jack Stand included
- ◆ **NEW** – We have added a 24" Furrow Filler disc fitted as standard



MODEL	DISCS	DISC SIZE	SPACING	AXLES	WORKING WIDTH	TYRE SIZE	WEIGHT (KG)	REQ HP
GRANDE 24	24 + 1	28" x 7.5mm	270mm	1 5/8"	3.1m	400/60x15.5	3,200	130 - 145
GRANDE 28	28 + 1	28" x 7.5mm	270mm	1 5/8"	3.6m	400/60x15.5	3,550	150 - 165
GRANDE 32	32 + 1	28" x 7.5mm	270mm	1 5/8"	4.2m	400/60x15.5	3,900	170 - 185

OPTIONS

Oversize Sign & Oversize flags + flag holders



SIMPLE CHAIN AND SPRING ASSEMBLY ON HITCH ALLOWING FOR EASY HOOKUP



LARGE 400/60x15.5 FLOTATION TYRES



LARGE SINGLE LIFT RAM ON MAIN FRAME



OIL BATH BEARING WITH DUO-CONE SEALS FOR EASY MAINTENANCE

ECO Busta

20 - 28 Plate Heavy Offset Disc



New for 2018 to the Serafin ECO range is the ECO BUSTA. Solid & heavy 10mm frame, wide 340mm (13 1/3") disc spacing and 32"x 8mm scalloped discs, this machine will certainly BUSTA the ground up!

- ◆ Massive 60mm (approx 2 1/4") round axles & Oil Bath Bearings
- ◆ **HUGE** 200mm x 150mm x 10mm thick frame PLUS 10mm underplate on gang frame for added weight and strength
- ◆ Large 400/60x15.5 flotation tyres
- ◆ Fully welded hangers with 10mm under-plate on bearing mounts
- ◆ Fully assembled by our trained technicians
- ◆ Transport locking mechanism for safe transporting
- ◆ 12 months Parts and Labor warranty included



MODEL	DISCS	DISC SIZE	SPACING	AXLES	WORKING WIDTH	TYRE SIZE	WEIGHT (KG)	REQ HP	
BUSTA 20	20	32" x 8mm	340mm	60mm	3.2m	400/60x15.5	4,400	200-210	
BUSTA 24	24	32" x 8mm	340mm	60mm	3.9m	400/60x15.5	5,200	240-250	
BUSTA 28	28	32" x 8mm	340mm	60mm	4.4m	400/60x15.5	5,800	280-290	
OPTIONS									
Oversize Sign & Oversize flags + Flag holders									



SOLID DRAW BAR WITH ADJUSTABLE HEIGHT



LARGE 400/60x15.5 FLOTATION TYRES



SUPER HEAVY, WELL CONSTRUCTED FRAME



OIL BATH BEARING WITH DUO-CONE SEALS FOR EASY MAINTENANCE